



Specification Sheet

REO OK 2733-9 S1

6 202 37 29123



Features

Powder coated aluminum Pre-installed springs for easy installation Pre-installed snap-in connector

Application

For ambient lighting Residential, commercial, retail, and hospitality spaces

Dimming Options

Refer to housing or power supply spec sheet.

Listings



Available colors: ALU GREY (6 202 37 29123 A)
WHITE (6 202 37 29123 W)

ADJUSTABLE 0° - 30° / 350°
INCL. 1 x POWERLED WHITE 7W / CRI>90 / 2700K / 525lm
INCL. 1 x REFLECTOR FL-33°
EXCL. LED POWER SUPPLY 350mA-DC

LED Technics: Light source: 525 lm // 7 W // 75 lm/W
Luminaire: 452 lm // 8 W // 56 lm/W

Class 2 Yes
Ada N.a.

Weight: 0.9 LBS
Protection level: IP23/20-20/20 - suitable for damp locations
Minimum distance: n.a.

Requirements STANDARD:

IC HOUSING
NON-IC PLASTERFRAME

Requirements CLASS 2 & NON-IC:

PLASTERKIT 170
NON-IC PLASTERFRAME
LED POWER SUPPLY 350mA-DC DIM

11/04/2017 22:36:19






Specification Sheet

REO OK 2733-9 S1

6 202 37 29123




Related references

IC HOUSINGS




Related references

NON IC PLASTERFRAMES




Related references

NON IC PLASTERFRAMES (CLASS 2)



Related references



115mm
4'-1/2"

19mm
3/4"

34mm
1-5/16"

LED POWER SUPPLY
350mA-DC / 10W
6 300 90 91
120V / 60Hz
Number of luminaires: 1



113mm
4'-7/16"

17mm
11/16"

30mm
1'-3/16"

LED POWER SUPPLY
350mA-DC / 12W DIM8
6 300 63 001 ED8
120V / 60Hz
Number of luminaires: 1




124mm
4'-7/8"

25mm
1"

76mm
3"

LED POWER SUPPLY
350mA-DC / 13W DIM10
6 300 63 002 ED10
120-277V / 60Hz
Number of luminaires: 1




164mm
6'-7/16"

25mm
1"

40mm
1'-9/16"

LED POWER SUPPLY
350mA-DC / 8.4W DIM1
6 300 63 12 00 ED1
120-277V / 60Hz
Number of luminaires: 1




103mm
4'-1/16"

21mm
13/16"

67mm
2'-5/8"

LED POWER SUPPLY
MULTI-POWER DIM5
6 300 90 68
120V / 60Hz
Number of luminaires: 1 / - / -




106mm
4'-3/16"

21mm
13/16"

67mm
2'-5/8"

LED POWER SUPPLY
MULTI-POWER DIM7
6 300 60 15 12 ED7
120V / 60Hz
Number of luminaires: 1 / - / -

Related references PLASTERKITS



230mm
9'-1/16"

230mm
9'-1/16"

PLASTERKIT 170
207 01 170



Specification Sheet

REO OK 2733-9 S1
6 202 37 29123

Related project picture of product family:

